




POWER UTILITY CATALOGUE



DISCOVER
MORE TOOLS



M12™, M18™ &
MX FUEL™
SYSTEMS

SITE LIGHTING

HAND TOOLS

STORAGE

PERSONAL
SAFETY

POWER TOOL
ACCESSORIES

2025



MILWAUKEE IN ASIA

Milwaukee Tool is an industry-leading manufacturer of heavy-duty power tools, accessories and hand tools for professional users worldwide.

Since the company began in 1924, Milwaukee Tool has led the industry in both durability and performance. With an unwavering commitment to the trades, Milwaukee continues to lead with a focus on providing innovative, trade-specific solutions.

In Asia, we have presence in over 11 regions, with the hub office in Hong Kong and High Performance Center in Thailand.



100 YEARS OF INNOVATION

100 Years
of Innovation
2024



MX FUEL™
REDLITHIUM™
Range of Tools
2021



M18™ 9.0Ah
HIGH DEMAND
Battery
2017



M18 FUEL™
SDS Plus
Hammer
2015



REDLITHIUM™
BATTERY
Technology
2010



SUPER SAWZALL™
Reciprocating Saw
Low Vibration Design
1991



World's 1st
SAWZALL™
Reciprocating
Saw
1951



1st Hole-Shooter
Designed and
Manufactured
for Automotive
Assembly
1924



M18™ REDLITHIUM™
FORGE™ 6.0Ah Battery
2023



M18™ HIGH OUTPUT™
Battery
2019



M18™ FORGE LOGIC™
M12 and M18
High Output
Lighting
2016



M18 FUEL™
Drilling Range
2012



M12™ and M18™
Lithium Range of Tools
2008



1st MAGNUM™
Professional
Drill
1977



Industry's 1st
1/2" Right-Angle Drill
1949

Milwaukee™



REDLITHIUM™

2.0Ah/2.5Ah/3.0Ah/4.0Ah/5.0Ah/6.0Ah/8.0Ah/12.0Ah

CORDLESS INNOVATION




M12 **MX** **M18**
FUEL

www.milwaukeetool.asia

M12 M18 FUEL™


1 MORE SPEED, TORQUE AND DURABILITY

POWERSTATE™ brushless motors are designed and built by us, exclusively for our tools. Ideal for professional tradesmen because they deliver more application speed, torque and durability in a smaller size. Additionally, POWERSTATE™ brushless motors reduce noise and cool more rapidly to deliver years of maintenance free performance.



2 POWER MEETS CONTROL

Combining advanced hardware and software, REDLINK™ Intelligence enables advanced communication between your batteries and tools, allowing for unmatched levels of performance, protection, and productivity.



3 LAST LONGER, THINK FASTER AND WORK HARDER

REDLITHIUM™ batteries last longer, think faster, and work harder than all other professional LITHIUM-ION batteries. Built to withstand the harshest environments, REDLITHIUM™ batteries deliver more work over the course of your day and over the life of the battery.



REDLITHIUMTM FORGETM

MOST POWER | **FASTEST CHARGING** | **LONGEST LIFE**



W/ M18TM DUAL BAY SUPER CHARGER



- ✓ M18TM FORGETM IS THE MOST POWERFUL RANGE OF BATTERIES IN THE M18TM REDLITHIUMTM LINEUP

- ✓ 35 MIN FOR M18 FB12, 25% FASTER CHARGING THAN M18 HB12
- ✓ HIGH SPEED COOL-CYCLETM CHARGING FOR M18 FB8 AND M18 FB12

- ✓ ADVANCED THERMAL MANAGEMENT
- ✓ RESISTANT TO OILS, GREASES & SOLVENTS
- ✓ LONGER CYCLE LIFE



NEW ERA OF PERFORMANCE


*On M18 & MX Fuel Systems



CUTTING & CRIMPING TRANSMISSION LINES



M18 HCC45 M18 HUP700 M18 HCCT15



CUTTING & CRIMPING DISTRIBUTION LINES



M18 HCC M18 HCCT 109 / 42 M18 HCCT120

CUTTING & CRIMPING IN SUBSTATIONS



M18 HCCT 109/42 M18 HCC M18 HCCT120



M18 ONEHUCT M18 HCCT109/42L M18 ONEHCCT60

COMMERCIAL & RESIDENTIAL INSTALLATIONS



M18 HCC M18 HCCT 109/42 M18 ONEHCCT60

CUTTING UNDERGROUND DISTRIBUTION CABLES



M18 HUP700 M18 HCC125R M18 HCC75R


1 POWER GENERATION

- Coal / Petroleum / Natural Gas / Other Gas
- Nuclear
- Hydroelectric
- Solar / Wind / Other Renewables



2 TRANSMISSION LINES

- Carry High Voltage across Long Distances
- When Overhead are Easily Identifiable by Lattice Towers (Steel Towers)
- Can also be run underground



3 SUBSTATION

- Electricity from transmission lines is reduced to lower voltages at Substations
- Electricity leaves Substation at lower voltages on Distribution Lines



4 DISTRIBUTION LINES

- Bring Power to Commercial Buildings & Homes
- When Overhead are Easily Identifiable by Wooden Poles
- Can also be run underground
- The Underground Cable Cutter targets large underground distribution cable



Milwaukee™



M12™

MX
FUEL™

M18™

Milwaukee™

M18™ FORCELOGIC™




THE SMARTEST WAY TO WORK

INNOVATION FOR POWER UTILITY

FORCELOGIC™

THE SMARTEST WAY TO WORK

FORCE LOGIC™ is engineered to fundamentally change the way high-force tools are used in the field. With its intelligent hydraulic force technology, FORCE LOGIC™ simplifies complex tasks, giving you a smarter way to work.



100% VERTICAL INTEGRATION



ERGONOMIC DESIGN



BEST IN CLASS DURABILITY

THE MOST RELIABLE & ACCURATE WAY TO CRIMP

PFM™ measures pressure and modifies all performance levels delivering precision crimps

PRESSURE SENSOR™

Continuously modifies force at rapid speed




REDLINK PLUS™ ELECTRONICS



HYDRAULIC SYSTEM

High speed pump reaches force quickly and consistently



POWERSTATE™ MOTOR

Electronically controlled motor automatically modifies speed

CENTER GRIP POSITION

Allows for micro adjustments and alignment

MAXIMISED ACCURACY

2X MORE CONTROL



BEST PROTECTION AGAINST THE ELEMENTS

- Sealed electronics keep dirt, dust, grime & moisture out
- Hydraulic system optimized for consistent performance: -18°C to 55°C

M18™ FORCE LOGIC™ 6T LINEAR UTILITY CRIMPER

M18 ONEHUCT

EASIEST SET-UP WITH 7 INTERCHANGEABLE CRIMPING & CUTTING JAWS

- Best-in-Class Balance for Ultimate Versatility in Any Orientation
- Inline Design and 340° Head Rotation for Easy Access in tight Spaces
- Two LED Worklights Illuminate Jaw Area
- Hang Hook Can Directly Hook on Hand-Lines without a Carabiner

INSTANT PRESSURE VERIFICATION WITH PFM™ SYSTEM

- Ensures Full Pressure is Reached
- Green LED Delivers Instant Full Pressure Verification

FASTEST CONNECTIONS IN ALL ELEMENTS WITH HIGH SPEED HYDRAULIC PUMP

- Up to 280 Crimps per Charge on B2 Pack
- Hydraulic System Optimized for Consistent Performance from -20°C to 60°C Sealed Electronics Keep Dirt & Moisture Out



M18™ FORCE LOGIC™ 60KN GUILLOTINE CRIMPER

M18 ONEHCCT60

GREAT CRIMP RESULT WITH GUILLOTINE STYLE HEAD

- Get the Full 60kN of Force Through the Hydraulic Ram

ABILITY TO FULLY CRIMP UP TO 300MM²

- Best Crimp Result with Fully Closed Dies Up to 300mm²
- Ability to Crimp Lugs and C-Taps

LIGHTER WEIGHT

- < 3.9 KG (including 2.0 battery)



M18™ FORCE LOGIC™ 12T LATCHED LINEAR CRIMPER

M18 HCCT 109/42L

FASTEST CONNECTIONS IN ALL ELEMENTS, CRIMPING UP TO 400MM²

- Delivers the Fastest Crimp Times Across All Connector Sizes
- Sealed Electronics Keep Dirt and Moisture Out

INSTANT PRESSURE VERIFICATION

- Predictive Force Monitoring (PFM™) Ensures Full Pressure is Reached
- Pre-Crimp Battery Check Ensures a Full Crimp Every Time

LIGHTEST, MOST BALANCED INLINE DESIGN DELIVERS MAXIMUM CONTROL

- Centered, Balanced Grip Allows One-Handed Use
- Push-to-Close Style Latch Pin Are Easily Opened or Secured



M18™ FORCE LOGIC™ 12T UTILITY CRIMPER

M18 HCCT109/42

EASIEST ALIGNMENT WITH UP TO 1.5KG LIGHTER THAN COMPETITIVE UNITS

- Less Muscle Effort
- 340° Rotating Head for Easy Access in Tight Spaces
- LED Worklight Illuminates Work Area

INSTANT PRESSURE VERIFICATION WITH PFM™ SYSTEM

- Predictive Force Monitoring™ (PFM™) Ensures Full Pressure is Reached
- Powers Through Large Sizes Without Bogging Down

BEST PROTECTION AGAINST THE ELEMENTS

- Sealed Electronics Keep Dirt & Moisture Out
- Hydraulic System Optimized for Consistent Performance from -18°C to 50°C



M18™ FORCE LOGIC™ 120kN HYDRAULIC CRIMPER

M18 HCCT120

FASTEST CONNECTIONS IN ALL ELEMENTS, CRIMPING UP TO 400MM²

- High-speed hydraulic system optimized for consistent performance from -20°C to 60 °C
- Auto-Return

EASIEST ALIGNMENT WITH ENLARGED TRIGGER AND BALANCED DESIGN

- Balanced Design for Overhead Crimping
- 340° Head Rotation

QUALITY CONNECTIONS

- PFM™ - Predictive Force Monitoring System
- 120kN Output Force



M18™ FORCE LOGIC™ 15T CRIMPER

M18 HCCT15

EASIEST ALIGNMENT

- Ability to Use with One Hand with Center Balanced Grip
- Easy Access in Tight Spaces: In-Line & 350° Rotating Head
- LED Worklight Illuminates Work Area

INSTANT PRESSURE VERIFICATION

- Predictive Force Monitoring™ (PFM™) Ensures Full Pressure is Reached
- Tool Capacity from 10 - 800 mm² CU & 10-625mm² AL Cable

FASTEST CONNECTIONS IN ALL ELEMENTS

- Hydraulic System Optimized for Consistent Performance from -18°C to 50°C
- Compatible with all industry standard P-Dies & U-Dies with P-to-U Adapter



M18™ FORCE LOGIC™ 700 BAR HYDRAULIC PUMP

M18 HUP700R

EASIEST SET UP

- No Gas, No Generators, No Intensifiers
- Up to 80% smaller & 35kg lighter than Gas Units
- Available Bucket Hanger Accessory for Ideal Operating Position

UNPRECEDENTED CORDLESS PERFORMANCE

- 24 Second Crimp Times with 60T Press Head on 805mm² ACSR
- Up to 60 presses on 805mm² ACSR on a single charge

CUSTOMIZED VERSATILITY

- 3-Modes of Operation including Wireless Cutting Capability
- Controller Stored On-Board with 1.8m Cord Length for Operation Away from Pump



M18™ FORCE LOGIC™ 6T CABLE CUTTER

M18 HCC

CUTS COPPER AND ALUMINIUM CABLES UP TO 35MM

- Powers Through 400 mm² Copper in Seconds
- Best Power to Size Ratio

INSTALLATION READY CUTS

- Optimized Blade Geometry for Round, Installation Ready Cuts

COMPACT OPEN-JAW

- Go Straight to the Material, No Latching or Looping
- Cut in the Tightest Panels



M18™ FORCE LOGIC™ 9T OVERHEAD CABLE CUTTER

M18 HCC45

ONE-HANDED JAW OPENING

- Self-latching design easily opens with one hand
- Easy operation with Class 3 gloves

HANDS-FREE JAW CLOSURE, EASIEST MID-SPAN CUTS

- Wire automatically closes jaw
- Easiest set-up, no awkward reaching

FASTEST TRANSMISSION CUTTER

- Up to 60% faster cuts in 908mm² Falcon ACSR
- Easiest set-up enhances productivity during repeat cuts



M18™ FORCE LOGIC™ UNDERGROUND CABLE CUTTER W/ WIRELESS REMOTE

M18 HCC75R

EASIEST SET-UP IN VAULTS AND TRENCHES

- In-line Design, Balanced Tool
- Handle & Hang Hook Enable Easiest Suspension in Vaults and Manholes

SAFER CUTTING, WIRELESS REMOTE

- Eliminate Contact Between the Lineman and Potentially Live Cable
- 1:1 Pairing Between Wireless Remote and Tool Prohibits Other Devices from Connecting to the Tool and Activating Unintended Cuts

REMOTE INDICATES COMPLETION

- Green LED Light Delivers Clear Confirmation of a Completed Cut



M18™ FORCE LOGIC™ 125MM UNDERGROUND CABLE CUTTER WITH WIRELESS REMOTE

M18 HCC125R

MORE BALANCED, MAXIMUM CONTROL


- Balanced design, 360° Articulating D-handle, and Fixed Hang Hook Enable Easiest Set-up in Vaults
- 180° Head Rotation Supports Set-up Versatility


LARGER CUT CAPACITY

- Cuts Lead Sheathed, Armored, Cu/Al Power Cables, and Communications up to 125MM Diameter
- Easily Cuts a Bundle of Three 500MM² 15kV LLDPE Cu Power Cables

REMOTE INDICATES COMPLETION

- Extended Remote Connection, Enables Cable Splicers to Move Away up to 30M Line of Sight
- Position Sensing Leads to Greater Confidence that the Cut was Complete, Confirmed with a Green LED on the Remote





BUCKET TRUCK WALKAROUND

1 STORAGE & HAND TOOLS




- 48-22-1525
- 48-22-2215
- 48-22-8270
- 48-22-8290
- 48-22-8297
- 48-22-8810

2 CABLE CUTTING & PUMPS



- M18 HCC
- M18 HCC45
- M18 HUP700R
- M18 ONEHUCT





3 CABLE CRIMPING

- M18 ONEHCCT60
- M18 HCCT120
- M18 HCCT109/42L
- M18 HCCT15
- M18 ONEHUCT



4 FASTENING

- M18 FMTIW2F12
- M18 FIW212
- M18 FIW2F38
- M12 FIR12
- M12 FHIR38LR
- M18 FPD3
- M18 FID3



5 LIGHTING

- ISHL LED
- M18 SLED
- M18 UBL
- M18 ONERSAL
- MXF TLIC



POWER TOOLS

FORCELOGIC™ CRIMPING



M18 FORCELOGIC™
6T Linear Utility Crimper
M18 ONEHUCT



M18 FORCELOGIC™
60kN Guillotine Crimper
M18 ONEHCCT60



M18 FORCELOGIC™
12T Latched Linear Crimper
M18 HCCT109/42L



M18 FORCELOGIC™
12 Ton Utility Crimper
M18 HCCT109/42



M18 FORCELOGIC™
120kN Crimper
M18 HCCT120



M18 FORCELOGIC™
15T Crimper
M18 HCCT15



FORCELOGIC™ HYDRAULIC PUMP



M18 FORCELOGIC™
700 Bar Hydraulic Pump
M18 HUP700R



49-12-2776
Bucket Hanger
for M18 HUP700R

THE EASIEST WAY TO POWER HYDRAULICS

SET-UP

Easiest Set-Up:
80% Smaller, 75 lbs
Lighter than Gas

PERFORM

24 Second Crimps
On 805mm² ACSR

REPEAT

Up to 60 Presses
on 805mm² ACSR w/
a Single Charge

FORCELOGIC™ CUTTING



M18 FORCELOGIC™
6T Cable Cutter
M18 HCC



M18 FORCELOGIC™
Overhead Cable Cutter
M18 HCC45



M18 FORCELOGIC™
75mm Underground Cable
Cutter
M18 HCC75R



M18 FORCELOGIC™
125mm Underground Cable
Cutter
M18 HCC125R





FASTENING



M18 FUEL
1/2" High Torque
Impact Wrench

MORE POWER DENSE **UP TO 51MM SHORTER LENGTH** **FASTER REMOVAL SPEED**



2711 Nm
Nut-Busting Torque

M18 FUEL
1" D-Handle High Torque
Impact Wrench
M18 ONEFHIWF1DS



2711 Nm
Nut-Busting Torque

M18 FUEL
1" Extended Anvil D-Handle
High Torque Impact Wrench
M18 ONEFHIWF1D



2440 Nm
Nut-Busting Torque

M18 FUEL
1" High Torque Impact
Wrench
M18 ONEFHIWF1



2032 Nm
Nut-Busting Torque

M18 FUEL
3/4" High Torque Impact
Wrench
M18 ONEFHIWF34



2169 Nm
Nut-Busting Torque

M18 FUEL
1/2" High Torque Impact
Wrench
M18 FHIW2F12



881 Nm
Nut-Busting Torque

M18 FUEL
1/2" Mid Torque Impact
Wrench
M18 FMTIW2F12



339 Nm
Nut-Busting Torque

M18 FUEL
1/2" Compact Impact
Wrench
M18 FIW212



339 Nm
Nut-Busting Torque

M18 FUEL
3/8" Compact Impact
Wrench
M18 FIW2F38




745 Nm
Nut-Busting Torque

M12 FUEL
1/2" Stubby Impact Wrench
with Friction Ring
M12 FIW2F12



745 Nm
Nut-Busting Torque

M12 FUEL
3/8" Stubby Impact Wrench
with Friction Ring
M12 FIW2F38



300 Nm
Nut-Busting Torque

M12 FUEL
1/2" Right Angle Impact
Wrench
M12 FRAIW12



M12 FUEL
1/2" Digital Torque Wrench
M12 ONEFTR12



M12 FUEL
1/2" Ratchet
M12 FIR12



M12 FUEL
3/8" Extended Reach
Ratchet
M12 FIR38LR



M12 FUEL
3/8" High Speed Ratchet
M12 FHIR38



M12 FUEL
1/4" Extended Reach High
Speed Ratchet
M12 FHIR14LR



M12 FUEL
3/8" Extended Reach High
Speed Ratchet
M12 FHIR38LR





DRILLING & DRIVING



M18 FUEL
Percussion Drill
M18 FPD3



M12 FUEL
Percussion Drill
M12 FPD2



M18 FUEL
Drill Driver
M18 FDD3



M18 FUEL
1/4" Hex Impact Driver
M18 FID3



M18 FUEL
SURGE 1/4" Hex Hydraulic
Impact Driver
M18 FQID



M18 FUEL
38mm Magnetic Drill
M18 FMDP



M18 FUEL
Mud Mixer with Chuck
M18 FPMC

CUTTING



M18 FUEL
Super SAWZALL™
M18 FSX



M18 FUEL
SAWZALL™
M18 FSZ



M18 FUEL
HACKZALL™
M18 FHZ



M18 FUEL
203mm Metal Cutting Saw
M18 FMCS66



M18 FUEL
Metal Saw
M18 FMCS



M18 FUEL
125mm Braking Grinder
M18 FSAG125XPDB



M18 FUEL
100mm Braking Grinder
M18 FSAG100XPDB



M18 FUEL
180-230mm Large Angle
Grinder
M18 FLAG230XPDB



M18 FUEL
125mm Deep Cut Band Saw
M18 FBS125



M18 FUEL
85mm Compact Band Saw
M18 FBS85





OUTDOOR POWER EQUIPMENT



M18 FUEL
Dual Battery 508mm (20")
Chainsaw
M18 F2CHS50



M18 FUEL
Top Handle Chainsaw 356
mm (14")
M18 FTHCHS35



M18 FUEL
Chainsaw
M18 FCHS



M18 FUEL
Chainsaw With 30cm Bar
M18 FCHSC



M18 FUEL
Hatchet Pruning Saw
200mm (8")
M18 FHS20



M12 FUEL
Hatchet Pruning Saw
M12 FHS



M18 FUEL
Dual-Battery Backpack
Blower
M18 F2BPB



M18 FUEL
Dual Battery Blower
M18 F2BL



M18 FUEL
Blower Gen 3
M18 FBLG3



M18 FUEL
Hedge Trimmer 457mm
M18 FHET45



M18 FUEL
Hedge Trimmer 610mm
M18 FHET60



M18 FUEL
Hedge Trimmer Gen 2
610mm (24")
M18 FHET60G2



M12 FUEL
203mm (8") Hedge Trimmer
M12 FHT20



M18 FUEL
Grass Trimmer 406mm (16")
M18 FGTR40



M18 FUEL
Dual Battery Grass Trimmer
432mm (17")
M18 F2GTR



M18 FUEL
Brush Cutter & String
Trimmer
M18 FBCU



M18
Brushless Line Trimmer
M18 BLLT



M12 FUEL
Brushless Pruning Shears
M12 BLPRS



M18
Brushless Telescoping Pole
Pruning Shears
M18 BLTS



M18 FUEL
Telescoping Pole Saw
305mm (12")
M18 FTPS30



M18 FUEL
Power Head
with QUIK-LOK™
M18 FOPH2



M18 FUEL
Power Head Gen 2 with Line
Trimmer KIT
M18 FOPHLTKIT2



M18 FUEL
QUIK-LOK™
Line Trimmer Attachment
M18 FOPH-LTA



M18 FUEL
QUIK-LOK™
Brush Cutter Attachment
M18 FOPH-BCA



M18 FUEL
QUIK-LOK™
Hedge Trimmer Attachment
M18 FOPH-HTA



M18 FUEL
QUIK-LOK™
Chain Saw Attachment
M18 FOPH-CSA



M18 FUEL
QUIK-LOK™
Extension Attachment
M18 FOPH-EXA



M18 FUEL
QUIK-LOK™
Cultivator Attachment
M18 FOPH-CA



M18 FUEL
QUIK-LOK™ Short Hedge
Trimmer Attachment
M18 FOPH-SHTA



M18 FUEL
QUIK-LOK™
Blower Attachment
M18 FOPH-BA

ADDITIONAL M18™ SOLUTIONS



M18
Grease Gun
M18 GG



M18
Brushless Stick Water Pump
M18 BLSWP



M18
Inflator
M18 BI



M18
PACKOUT™ Air Fan
M18 AFG2



M18
High Velocity Air Fan
M18 ARFHP

BATTERIES & CHARGERS

BATTERIES



M12
M12™ REDLITHIUM™
2.0Ah Battery
M12B2



M12
M12™ REDLITHIUM™
3.0Ah Battery
M12B3



M12
M12™ REDLITHIUM™
4.0Ah Battery
M12B4



M12
M12™ REDLITHIUM™
6.0Ah Battery
M12B6



M12
M12™ REDLITHIUM™
HIGH OUTPUT™ 2.5Ah Battery
M12 HB2.5



M12
M12™ REDLITHIUM™
HIGH OUTPUT™ 5.0Ah Battery
M12 HB5



M18
M18™ REDLITHIUM™
2.0Ah Battery
M18B2



M18
M18™ REDLITHIUM™
4.0Ah Battery
M18B4



M18
M18™ REDLITHIUM™
5.0Ah Battery
M18B5



M18
M18™ REDLITHIUM™
HIGH OUTPUT™ 3.0Ah Battery
M18 HB3



M18
M18™ REDLITHIUM™
HIGH OUTPUT™ 6.0Ah Battery
M18 HB6



M18
M18™ REDLITHIUM™
FORGE™ 6.0Ah Battery
M18 FB6



M18
M18™ REDLITHIUM™
FORGE™ 8.0Ah Battery
M18 FB8



M18
M18™ REDLITHIUM™
FORGE™ 12.0Ah Battery
M18 FB12



M18 REDLITHIUM™ FORGE™
8.0Ah Battery

HIGH
OUTPUT™ 12.0
POWER
SMALLER SIZE

HIGH-SPEED
COOLING
35MIN SUPERCHARGE
TO 80%

**LONGEST
LIFE**
VS. REDLITHIUM™



CHARGERS



M12
Standard Charger
C12C



M12 M18
Standard Charger
M12-18C



M12 M18
Vehicle Charger
M12-18AC



M12 M18
Fast Charger
M12-18FC



M18
Dual Bay Fast Charger
M18 DFC



M18
6-Bay PACKOUT™ Fast Charger
M18 PC6



M12 M18
Rapid Charger Station
M12-18C3



M18
Dual Bay Super Charger
M18 DBSC



SITE LIGHTING



PERSONAL LIGHTS



REDLITHIUM™ USB Hard Hat Headlamp
L4 HL2



REDLITHIUM™ USB Rear Pack Headlamp
L4 HLRP



Internal Rechargeable Headlamp 450 Lumens
IR HL450



Intrinsically Safe Alkaline Headlamp
ISHL-LED



REDLITHIUM™ USB Neck Light
L4 NL400



REDLITHIUM™ USB Pivoting Work Light
L4 PWL



REDLITHIUM™ USB Personal Flood Light
L4 FL



REDLITHIUM™ USB Folding Flood Light
L4 FFL



REDLITHIUM™ USB Twist Focus LED Flashlight
L4 TMLED



REDLITHIUM™ USB Fixed Beam Compact Flashlight
L4 FMLED



REDLITHIUM™ USB Slide Focus Flashlight 2000 Lumens
L4 FL2000



Internal Rechargeable Penlight 250 Lumens
IR PL250



Internal Rechargeable Flashlight 500 Lumens
IR FL500



Inspection Pen Light
IPL-LED



Alkaline Spot / Flood Headlamp
HL-SF



Internal Rechargeable Folding Flood Light
IR FFL



AREA LIGHTS



M18
High Performance Area Light
M18 HOAL



M18
Spot Light
M18 SLED



M18
Utility Bucket Light
M18 UBL



M18
Task/Area Light
M18 TAL



M12
Pivoting Area Light
M12 PAL



M18
Pivoting Area Light G2
M18 PAL2



M18
Area Service Light
M18 ALIS



M18
Area Light
M18 AL



M18
Multi-Directional Task Light
M18 MDL



M18
PACKOUT™ Light Charger
M18 POALC



M12
PACKOUT™ Area Light
M12 POAL



M18
Lantern Light
M18 LL



M12
Lantern Light
M12 LL



M12
Stick Light
M12 SL



M12
Spot Light
M12 AL



M12
Spot Light
M12 SLED



M18
LED Worklight
M18 TLED



M12
LED Torch
M12 TLED



M12
LED Stand Light
M12 SAL



M18
LED Remote Stand Light
M18 ONERSAL



M18
LED Stand Light G2
M18 SAL2



M18
HIGH OUTPUT™ Stand Area Light Charger
M18 HOSALC



**EQUIPMENT REDEFINED
TRADE FOCUSED
SYSTEM WIDE**



EQUIPMENT



MX FUEL Compact Tower Light
MXF TLIC



MX FUEL Tower Light / Charger
MXF TL



MX FUEL 28mm Hex Breaker
MXF DH2528H



MX FUEL Plate Compactor
MXF PC50



MX FUEL 350mm Cut-Off Saw
MXF COS350



MX FUEL Portable Power Extension
MXF PBE



MX FUEL Rammer
MXF R70



BATTERIES & CHARGERS



MX FUEL REDLITHIUM™ 3.0Ah Battery
MXF CP203



MX FUEL REDLITHIUM™ 6.0Ah Battery
MXF XC406



MX FUEL FORGE™ 8.0Ah Battery
MXF XC608



MX FUEL FORGE™ 12.0Ah Battery
MXF HD812



MX FUEL Fast Charger
MXF FC



MX FUEL Super Charger
MXF SC



MX FUEL 3600W/1800W Portable Power Supply
MXFPS



HAND TOOLS

MEASURING TOOLS

STUD TAPE MEASURES

- High density Nylon Coating wraps 360° around the blade
- Blade resists tearing from repetitive bending and fast blade retraction
- Fully Reinforced Body survives 24m drop



PART #	DESCRIPTION	BLADE WIDTH (mm)	STANDOUT (m)
4932498763	5m STUD Tape Measure	33	4
4932498765	8m STUD Tape Measure	33	4
4932498764	5m/16ft STUD Tape Measure	33	4
4932498766	8m/26ft STUD Tape Measure	33	4
48-22-1436	10m/35ft STUD Tape Measure	33	4

MAGNETIC TAPE MEASURE WITH LED LIGHT

- 100 Lumens LED Light, To Illuminate Up To 3 M Work Area
- Strong Magnet At Start Of The Tape Allows Easy Hooking Onto Flat Surfaces And Round Pipe
- Finger Stop For Comfortable Hold And Finger Protection When The Blades Retracts



PART #	DESCRIPTION	BLADE WIDTH (mm)	STANDOUT (m)
4932492469	7.5m Magnetic Tape Measure with LED Light	30	4.5

FIBERGLASS OPEN REEL LONG TAPES

- GRIME GUARD Blade Wiper for Smoothest Retraction and to wick away jobsite contamination
- Reinforced 3:1 Planetary Metal Gears won't strip, increasing the life of the tool
- Dual Side Printing



PART #	DESCRIPTION
48-22-5330	30m/100' Fiberglass Open Reel Long Tape
48-22-5360	60m/200' Fiberglass Open Reel Long Tape
48-22-5310	100m/300' Fiberglass Open Reel Long Tape

DIGITAL MEASURING WHEEL

- IP54 Backlit LCD Screen
- Easy-to-Use Handle Mounted Controls
- Save & Store up to 4 Measurements with Memory Function



PART #	DESCRIPTION
48-22-5112	12" Digital Measuring Wheel

PLIERS

DIPPED GRIP PLIERS

- Ergonomic Handles with Dipped Grips
- Forged for strength
- Rust protection



PART #	DESCRIPTION
48-22-6501	Long Nose Pliers 203mm - Dipped Grip (8")
48-22-6508	Diagonal Cutting Pliers 203mm - Dipped Grip (8")
48-22-6528	Angled Head Diagonal Cutting Pliers 203mm (8")
48-22-6502	High Leverage Linesman's Pliers 228mm (9")
48-22-6500	High Leverage Linesman's Pliers with Crimper 228mm (9")
48-22-6503	High Leverage Linesman's Pliers with Thread Cleaner 228mm (9")

CUSHION GRIP PLIERS

- Better Leverage: For tough cuts
- Laser hardened edge: Longer Life
- Smoother open and close



PART #	DESCRIPTION
MT550	Lineman's Comfort Grip Pliers 228mm (9")
MT550C	Lineman's Comfort Grip Pliers w/ Crimper 228mm (9")
MT550T	Lineman's Comfort Grip Pliers w/ Thread Cleaner 228mm (9")
MT555	Long Nose Comfort Grip Pliers 203mm (8")
MT556	Diagonal Comfort Grip Cutting Pliers 152mm (6")
MT557	Diagonal Comfort Grip Cutting Pliers 177mm (7")
MT558	Diagonal Comfort Grip Cutting Pliers 203mm (8")



COMFORT GRIP PLIERS

- Comfort grips will not peel or dig into hands during extended use
- Forged for strength
- Rust protection



48-22-6100



48-22-6101



48-22-6106, 48-22-6107,
48-22-6108



48-22-6128

PART #	DESCRIPTION
48-22-6100	Linesman Pliers 228mm (9")
48-22-6101	Long Nose Pliers 203mm (8")
48-22-6106	Diagonal Cutting Pliers 152mm (6")
48-22-6107	Diagonal Cutting Pliers 177mm (7")
48-22-6108	Diagonal Cutting Pliers 203mm (8")
48-22-6128	Angled Head Diagonal - Comfort Grip 203mm (8")



ERGONOMIC GRIP PLIERS



- Precision machined joint for maximum power transmission with optimum leverage
- Grey titanium finish ensures maximum corrosion resistance
- Induction hardened cutting edges for easy cut



4932492465, 4932492466



4932492461, 4932492462



4932492463



4932492464

PART #	DESCRIPTION
4932492461	165mm (6.5") Combination Plier
4932492462	180mm (7") Combination Plier
4932492463	160mm (6") Diagonal Cutting Plier
4932492464	200mm (8") Heavy Duty Diagonal Cutting Plier
4932492465	205mm (8") Long Nose Plier
4932492466	205mm (8") 45° Long Nose Plier
4932492773	3pc Plier Set (180mm Combination Plier, 205mm Long Nose Plier, 160mm Diagonal Plier)



SCREWDRIVERS

TRI-LOBE SCREWDRIVERS

- Comfortable Tri-Lobe handle optimized for maximum user comfort and high torque applications
- Hardened magnetic tips for maximum durability and fastener retention
- Permanent visible ID markings allows for quick tool identification



PART #	DESCRIPTION
4932471773	SL 0.4 x 2 x 65 Tri-Lobe Screwdriver
4932471774	SL 0.4 x 2.5 x 75 Tri-Lobe Screwdriver
4932471775	SL 0.5 x 3 x 75 Tri-Lobe Screwdriver
4932471776	SL 0.5 x 3 x 150 Tri-Lobe Screwdriver

4932471777	SL 0.6 x 3.5 x 100 Tri-Lobe Screwdriver
4932471778	SL 0.8 x 4 x 100 Tri-Lobe Screwdriver
4932471779	SL 1.0 x 5.5 x 125 Tri-Lobe Screwdriver
4932471780	SL 1.2 x 6.5 x 45 Tri-Lobe Screwdriver
4932471781	SL 1.2 x 6.5 x 125 Tri-Lobe Screwdriver
4932471782	SL 1.2 x 8 x 150 Tri-Lobe Screwdriver
4932471783	SL 1.6 x 8 x 175 Tri-Lobe Screwdriver
4932471784	SL 1.2 x 10 x 200 Tri-Lobe Screwdriver
4932471785	PH0 x 75 Tri-Lobe Screwdriver
4932471786	PH1 x 100 Tri-Lobe Screwdriver
4932471787	PH2 x 45 Tri-Lobe Screwdriver
4932471788	PH2 x 125 Tri-Lobe Screwdriver
4932471789	PH3 x 150 Tri-Lobe Screwdriver



DEMO SCREWDRIVER SET

- Hammer ready strike caps
- All-metal core
- Comfortable Tri-Lobe handle



PART #	DESCRIPTION	TIP SIZES
48-22-2702	2pc Demo Screwdriver Set	PH6 x 6", SL5/16" x 6"



INSULATED TOOLS

INSULATED COMFORT GRIP PLIERS

- 1000V: Certified to IEC 60900 and ASTM F1505 standards
- Blades are fully forged and hardened for easy cuts
- Ergonomic grip for comfortable handling



PART #	DESCRIPTION
48-22-2208	1000V Insulated Diagonal Cutting Pliers 203mm (8")
48-22-2209	1000V Insulated Lineman's Pliers 228mm (9")
48-22-2214	1000V Insulated 10-20 AWG Wire Stripper & Cutter 203mm (8")
48-22-2215	5pc 1000V Insulated Hand Tools (48-22-2208, 48-22-2209, 48-22-2214, 48-22-2207 (PH2 x 4" and SL1/4" x 4")

INSULATED MULTI BIT SCREWDRIVERS

- 1000V: Certified to IEC 60900 and ASTM F1505 standards
- Size ID on every bit for quick identification
- Most versatile - easily change bits



PART #	DESCRIPTION	TIP SIZES
48-22-2216	4-in-1 1000V Insulated Slim Tip Multi-Bit Screwdriver	PH2, SL1/4", SL3/16", SQ2
48-22-2218	8-in-1 1000V Insulated Slim Tip Multi-Bit Screwdriver	PH1, PH2, SL1/4", SL3/16", SQ1, SQ2, ECX1, ECX2
48-22-2217	8-in-1 1000V Insulated Precision Multi-Bit Screwdriver	PH00, PH0, SL1/8", SL3/32", TS7, TS8, TS10, TS15



- 1000V: Certified to DIN EN/IEC 60900
- Precision machined joint for maximum power transmission with optimum leverage
- Grey titanium finish ensures maximum corrosion resistance



PART #	DESCRIPTION
4932464571	165mm (6.5") VDE Combination Plier
4932464572	180mm (7") VDE Combination Plier
4932464562	160mm (6") VDE Cable Cutter
4932464563	210mm (8") VDE Cable Cutter
4932464564	205mm (8") VDE Long Round Nose Plier
4932464565	205mm (8") VDE Long 45 deg. Round Nose Pliers
4932464566	145mm (5.5") VDE Diagonal Cutter
4932464567	160mm (6") VDE Diagonal Cutter
4932464568	180mm (7") VDE Diagonal Cutter
4932464569	180mm (7") VDE Heavy Duty Diagonal Cutter
4932464570	200mm (7.5") VDE Heavy Duty Diagonal Cutter
4932464573	160mm (6") VDE Wire Stripping Plier
4932464574	240mm (9.5") VDE Water Pump Plier
4932464575	3pc VDE Plier Set (180mm Combination Plier, 205mm Long Nose Plier, 160mm Diagonal Plier)



INSULATED SCREWDRIVERS

- 1000V: Certified to IEC 60900 and ASTM F1505 standards
- Comfortable Tri-Lobe handle optimized for maximum user comfort and high torque applications
- Permanent visible ID markings allows for quick tool identification



PART #	DESCRIPTION	TIP SIZES
48-22-2211	#1 Phillips - 76mm (3") 1000V Insulated Screwdriver	
48-22-2212	#2 Phillips - 101mm (4") 1000V Insulated Screwdriver	
48-22-2213	#3 Phillips - 152mm (6") 1000V Insulated Screwdriver	
48-22-2221	1/4" Slotted - 152mm (6") 1000V Insulated Screwdriver	
48-22-2222	5/16" Slotted - 177mm (7") 1000V Insulated Screwdriver	
48-22-2223	3/8" Slotted - 203mm (8") 1000V Insulated Screwdriver	

48-22-2224	3/8" Slotted - 254mm (10") 1000V Insulated Screwdriver	
48-22-2231	3/16" Cabinet - 101mm (4") 1000V Insulated Screwdriver	
48-22-2232	3/16" Cabinet - 152mm (6") 1000V Insulated Screwdriver	
48-22-2233	3/16" Cabinet - 203mm (8") 1000V Insulated Screwdriver	
48-22-2210	10pc 1000V Insulated Screwdriver Set w/ EVA Foam Case	PH1 x 3", PH2 x 4", PH3 X 6", SL1/4" X 6", SL 5/16" X 7", SL3/8" X 8", SQ1 x 3", SQ2 x 4", SQ3 x 6", ECX1 x 4"
48-22-2204	4pc 1000V Insulated Screwdriver Set w/ Roll Pouch	PH1 x 3", PH2 x 4", SL1/4" x 6", SL3/8" x 8"
48-22-2207	2pc 1000V Insulated Slim Tip Screwdriver Set	SL1/4" x 4", PH2 x 4"
48-22-2219	4pc 1000V Insulated Slim Tip Screwdriver Set	PH2 x 4", SL3/16" x 6", SL1/4" x 4", SQ2 x 6"
48-22-2206	6pc 1000V Insulated Slim Tip Screwdriver Set	PH1 x 6", PH2 x 4", PH2 x 6", SL3/16" x 6", SL1/4" x 4", SQ2 x 6"

LOCKING PLIERS

TORQUE LOCK LOCKING PLIERS

- Faster set up and easy release when clamping flat and round materials for welding
- TORQUE LOCK screw for better and more secure grip
- Chrome plated tool reduce corrosion



48-22-3405, 48-22-3407, 48-22-3410



48-22-3423, 48-22-3422, 48-22-3421, 48-22-3420



48-22-3607, 48-22-3610



48-22-3707, 48-22-3710



48-22-3406, 48-22-3409



48-22-3504, 48-22-3506, 48-22-3509



48-22-3807, 48-22-3810



48-22-3507, 48-22-3510

PART #	DESCRIPTION
48-22-3405	TORQUE LOCK Curved Jaw Locking Pliers with Durable Grip 127mm (5")
48-22-3407	TORQUE LOCK Curved Jaw Locking Pliers with Durable Grip 177mm (7")
48-22-3410	TORQUE LOCK Curved Jaw Locking Pliers with Durable Grip 254mm (10")
48-22-3423	TORQUE LOCK Curved Jaw Locking Pliers 101mm (4")
48-22-3422	TORQUE LOCK Curved Jaw Locking Pliers 127mm (5")
48-22-3421	TORQUE LOCK Curved Jaw Locking Pliers 177mm (7")
48-22-3420	TORQUE LOCK Curved Jaw Locking Pliers 254mm (10")
48-22-3406	TORQUE LOCK Long Nose Locking Pliers with Durable Grip 152mm (6")
48-22-3409	TORQUE LOCK Long Nose Locking Pliers with Durable Grip 228mm (9")
48-22-3504	TORQUE LOCK Long Nose Locking Pliers 101mm (4")
48-22-3506	TORQUE LOCK Long Nose Locking Pliers 152mm (6")
48-22-3509	TORQUE LOCK Long Nose Locking Pliers 128mm (9")

48-22-3807	TORQUE LOCK Straight Jaw Locking Pliers with Durable Grip 177mm (7")
48-22-3810	TORQUE LOCK Straight Jaw Locking Pliers with Durable Grip 254mm (10")
48-22-3507	TORQUE LOCK Straight Jaw Locking Pliers 177mm (7")
48-22-3510	TORQUE LOCK Straight Jaw Locking Pliers 254mm (10")
48-22-3607	TORQUE LOCK MAXBITE Curved Jaw Locking Pliers 177mm (7")
48-22-3610	TORQUE LOCK MAXBITE Curved Jaw Locking Pliers 254mm (10")
48-22-3707	TORQUE LOCK MAXBITE Curved Jaw Locking Pliers with Durable Grip 177mm (7")
48-22-3710	TORQUE LOCK MAXBITE Curved Jaw Locking Pliers with Durable Grip 254mm (10")



WRENCHES

PIPE WRENCHES

- Overbite jaw for secure grip on pipes and fittings
- Dual coil springs for maximum durability and tool life
- Hardened jaws for increased durability and better grip



STEEL PIPE WRENCH



ALUMINUM PIPE WRENCH

PART #	DESCRIPTION	TOTAL LENGTH (mm)	JAW CAPACITY (mm)	MATERIALS
48-22-7106	Steel Pipe Wrench (6")	152	19	Steel
48-22-7110	Steel Pipe Wrench (10")	250	38	Steel
48-22-7112	Steel Pipe Wrench (12")	300	51	Steel
48-22-7114	Steel Pipe Wrench (14")	350	51	Steel
48-22-7118	Steel Pipe Wrench (18")	450	63	Steel
48-22-7210	Aluminum Pipe Wrench (10")	250	38	Aluminum
48-22-7212	Aluminum Pipe Wrench (12")	300	51	Aluminum
48-22-7214	Aluminum Pipe Wrench (14")	350	51	Aluminum
48-22-7218	Aluminum Pipe Wrench (18")	450	63	Aluminum
48-22-7224	Aluminum Pipe Wrench (24")	600	76	Aluminum

CHEATER PIPE WRENCHES

- All in one adjustable sliding handle design
- Removable handle for access to tight spaces
- Overbite jaw for secure grip on pipes and fittings



PART #	DESCRIPTION	TOTAL LENGTH (mm)	JAW CAPACITY (mm)	MATERIALS
48-22-7314	CHEATER Pipe Wrench	250/450/600	63	Steel
48-22-7318	CHEATER Aluminum Adaptable Pipe Wrench	280-600	63	Aluminum
48-22-7322	CHEATER Aluminum Offset Adaptable Pipe Wrench	330-600	63	Aluminum



POWERLENGTH PIPE WRENCHES

- POWERLENGTH handle provide maximum leverage
- Dual coil springs for maximum durability and tool life
- Hardened jaws for increased durability and better grip



PART #	DESCRIPTION	TOTAL LENGTH (mm)	JAW CAPACITY (mm)	MATERIALS
48-22-7213	10L Aluminum Pipe w/ Powerlength Handle	450	38	Aluminum
48-22-7215	14L Aluminum Pipe w/ Powerlength Handle	500	51	Aluminum

ADJUSTABLE WRENCHES

- Precision adjustment screw with accurate threads and tight tolerances. The jaws won't back off during use
- Chrome plating for rust protection and increased durability
- Slim head design for reaching into tight spaces



PART #	DESCRIPTION	TOTAL LENGTH (mm)	JAW CAPACITY (mm)
48-22-7406	Adjustable Wrench (6")	150	24.5
48-22-7408	Adjustable Wrench (8")	200	30
48-22-7508	Wide Jaw Adjustable Wrench (8")	200	40
48-22-7410	Adjustable Wrench (10")	250	36.5
48-22-7412	Adjustable Wrench (12")	300	42.5
48-22-7415	Adjustable Wrench (15")	380	46
48-22-7400	2pc. Adjustable Wrench Set (6") (10")	150,250	24.5, 36.5



KNIVES

FASTBACK FOLDING UTILITY KNIVES

- Press and Flip Opening
- Quick tool-free blade changes
- Metal Extension to Prevent Accidental Blade Removal



PART #	DESCRIPTION
48-22-1500	FASTBACK Compact Folding Utility Knife
48-22-1501	FASTBACK Folding Utility Knife
48-22-1502	FASTBACK Folding Utility Knife w/ Blade Storage
48-22-1503	FASTBACK™ w/ Storage & FASTBACK™ Compact Knife Set
48-22-1504	FASTBACK™ w/ Storage & 50pc General Utility Blades Set

ELECTRICIAN SCISSOR

- Reinforced overstrike protection for ultimate hammer durability
- Durable Fiberglass Handle
- Tether Ready Lanyard Hole



PART #	DESCRIPTION
4932478620	Electrician Scissor

AVIATION SNIPS

AVIATION SNIPS

- Chrome plated rust protected forged blades for increased lifetime
- Serrated cutting edges prevent slippage when cutting
- One hand locking mechanism



PART #	DESCRIPTION	COLD ROLLED STEEL	STAINLESS STEEL
4932499011	Left Cutting Aviation Snip	18ga	22ga
4932499014	Right Cutting Aviation Snip	18ga	22ga
4932499018	Straight Cutting Aviation Snip	18ga	22ga
4932499020	3pc Aviation Snips Set	24ga	28ga

FASTBACK FOLDING KNIVES

- Resharpenable stainless steel blade
- Piercing tip allows controlled piercing and smooth cutting
- Liner lock secures the blade in the open position



48-22-1520



48-22-1524

PART #	DESCRIPTION
48-22-1520	FASTBACK Folding Knife
48-22-1524	FASTBACK Camo Folding Knife

FASTBACK HAWKBILL FOLDING KNIVES

- Press and flip Opening
- stainless steel blade: stay sharp
- Liner lock secures the blade in the open position



48-22-1525



48-22-1526

PART #	DESCRIPTION
48-22-1525	FASTBACK Hawkbill Folding Knife
48-22-1526	FASTBACK Blunt Tip Hawkbill Folding Knife



STRIKING TOOLS

LINEMAN'S HAMMER

- Reinforced overstrike protection for ultimate hammer durability
- Durable Fiberglass Handle
- Tether Ready Lanyard Hole



PART #	DESCRIPTION
48-22-9040	4in1 Lineman's Hammer



LINEMAN'S WRENCH

LINEMAN'S RATCHETING WRENCHES

- Large Directional Switches for easy pressing
- Built-in hammer for hammering
- Durable Forged Steel for longer life



PART #	DESCRIPTION
48-22-9213	Lineman's High-Leverage Ratcheting Wrench W/ Smooth Strike Face
48-22-9213M	Lineman's High-Leverage Ratcheting Wrench W/ Milled Strike Face
48-22-9216	Lineman's 5in1 Ratcheting Wrench W/ Smooth Strike Face
48-22-9216M	Lineman's 5in1 Ratcheting Wrench W/ Milled Strike Face

INSULATED RATCHETING WRENCHES

- 1000V: Certified to IEC 60900 AND ASTM F1505 Standards
- High contrast size markings
- Durable forged steel for longer life



PART #	DESCRIPTION
48-22-9212	Lineman's 4in1 Insulated Ratcheting Box Wrench
48-22-9211	Lineman's 2in1 Insulated Ratcheting Box Wrench

BOLT CUTTERS

FIBERGLASS BOLT CUTTER WITH PIVOTMOVE™ ROTATING HANDLES

- Adaptable rotating handles allow to make more cuts around obstacles common in utility environments
- 1000V UL classified to provide you with added security
- Forged steel bolt cutter blades are custom heat treated for maximum durability



PART #	DESCRIPTION	CUT CAPACITY (mm)
48-22-4218	457mm (18") Fiberglass Bolt Cutter with PIVOTMOVE™ Rotating Handles	9.5
48-22-4224	610mm (24") Fiberglass Bolt Cutters with PIVOTMOVE™ Rotating Handles	11



BOLT CUTTERS WITH POWERMOVE™ EXTENDABLE ARMS

- POWERMOVE handles extend for easier cuts in tough application
- Forged steel blades for strong and durable cutting edge
- Pivoting head for angle adjustment



PART #	DESCRIPTION	CUT CAPACITY (mm)
48-22-4114	355mm (14") Bolt Cutters with POWERMOVE™ Extendable Arms	8
48-22-4124	610mm (24") Bolt Cutters with POWERMOVE™ Extendable Arms	11

BOLT CUTTERS

- Forged steel blades for strong and durable cutting edge
- Blade adjustment screw ensures high performance and longer life
- Comfort grip handles will not peel or slide off



PART #	DESCRIPTION	CUT CAPACITY (mm)
48-22-4014	355mm (14") Bolt Cutters	8
48-22-4018	457mm (18") Bolt Cutters	9.5
48-22-4024	610mm (24") Bolt Cutters	11
48-22-4031	787mm (31") Bolt Cutters	12.5

STORAGE

PACKOUT™ MODULAR STORAGE SYSTEM



Part #	Description
48-22-8311	PACKOUT™ 10" Structured Tote
48-22-8315	PACKOUT™ 15" Tote
48-22-8320	PACKOUT™ 20" Tote
48-22-8393R	PACKOUT™ 30oz Tumbler - Red
48-22-8422	PACKOUT™ Compact Tool Box
48-22-8424	PACKOUT™ Tool Box
48-22-8425	PACKOUT™ Large Tool Box
48-22-8427	PACKOUT™ Rolling Tool Box
48-22-8430	PACKOUT™ Organizer
48-22-8435	PACKOUT™ Compact Organizer

Part #	Description
48-22-8321	PACKOUT™ 15" Tool Bag
48-22-8322	PACKOUT™ 20" Tool Bag
48-22-8431	PACKOUT™ Low-Profile Organizer
48-22-8436	PACKOUT™ Low-Profile Compact Organizer
48-22-8442	PACKOUT™ 2-Drawer Tool Box
48-22-8443	PACKOUT™ 3-Drawer Tool Box
48-22-8445	PACKOUT™ Cabinet
48-22-8452	Customizable Foam Insert for PACKOUT™ Drawer Tool Boxes
48-22-8462	PACKOUT™ XL Cooler

Part #	Description
48-22-8496	PACKOUT™ Compact Wall Plate
48-22-8497	PACKOUT™ Large Wall Plate
48-22-8062	PACKOUT™ 4x4 Nesting Bin
48-22-8063	PACKOUT™ 4x8 Nesting Bin
48-22-8429	PACKOUT™ XL Tool Box
48-22-8428	PACKOUT™ Rolling Tool Chest
48-22-8432	PACKOUT™ Deep Organizer
48-29-1809	M18™ PACKOUT™ Six-Bay Rapid Charger

POWER UTILITY STORAGE



Part #	Description
48-22-8290	Lineman's Aerial Tool Apron
48-22-8270	Utility Bucket
48-22-8275	Underground Utility Oval Bag
48-22-8276	Aerial Utility Oval Bag
48-22-8271	Canvas Utility Bucket
48-22-8291	Lineman's Compact Aerial Tool Apron
48-22-8292	2" Bucket Hook
48-22-8293	3" Bucket Hook



PERSONAL SAFETY

DIPPED GLOVES



	S	M	L	XL	XXL
	Part #	Part #	Part #	Part #	Part #
Cut Level 1 Gloves					
Cut Level 1 Nitrile Dipped Gloves	48-22-8900	48-22-8901	48-22-8902	48-22-8903	48-22-8904
Cut Level 1 Nitrile Dipped Gloves (12 Pair Contractor Pack)	-	48-22-8901B	48-22-8902B	48-22-8903B	48-22-8904B
Cut Level 2 Gloves					
Cut Level 2 Nitrile Dipped Gloves	48-22-8925	48-22-8926	48-22-8927	48-22-8928	48-22-8929
Cut Level 2 High-Dexterity Polyurethane Dipped Gloves	48-73-8720	48-73-8721	48-73-8722	48-73-8723	48-73-8724
Cut Level 3 Gloves					
Cut Level 3 Nitrile Dipped Gloves	48-73-8630	48-73-8631	48-73-8632	48-73-8633	48-73-8634
High Visibility Cut Level 3 Polyurethane Dipped Gloves	48-73-8930	48-73-8931	48-73-8932	48-73-8933	48-73-8934
Cut Level 3 High-Dexterity Polyurethane Dipped Gloves	48-73-8730	48-73-8731	48-73-8732	48-73-8733	48-73-8734
Cut Level 4 Gloves					
Cut Level 4 Nitrile Dipped Gloves	48-22-8945	48-22-8946	48-22-8947	48-22-8948	48-22-8949
Cut Level 4 High-Dexterity Polyurethane Dipped Gloves	48-73-8740	48-73-8741	48-73-8742	48-73-8743	48-73-8744
Cut Level 5 Gloves					
Cut Level 5 Nitrile Dipped Gloves	48-73-8650	48-73-8651	48-73-8652	48-73-8653	48-73-8654
Cut Level 6 Gloves					
Cut Level 6 High-Dexterity Nitrile Dipped Gloves	48-73-7000	48-73-7001	48-73-7002	48-73-7003	48-73-7004
Cut Level 6 High-Dexterity Nitrile Dipped Gloves (12 Pair Contractor Pack)	-	48-73-7001B	48-73-7002B	48-73-7003B	48-73-7004B
Cut Level 7 Gloves					
Cut Level 7 High-Dexterity Nitrile Dipped Gloves	48-73-7010	48-73-7011	48-73-7012	48-73-7013	48-73-7014
Cut Level 8 Gloves					
Cut Level 8 High-Dexterity Nitrile Dipped Gloves	48-73-7020	48-73-7021	48-73-7022	48-73-7023	48-73-7024
Cut Level 9 Gloves					
Cut Level 9 High-Dexterity Nitrile Dipped Gloves	48-73-7030	48-73-7031	48-73-7032	48-73-7033	48-73-7034

IMPACT DEMOLITION GLOVES



Part #	Description
S: 48-73-8550 M: 48-73-8551 L: 48-73-8552 XL: 48-73-8553 XXL: 48-73-8554	Impact Demolition Gloves

GOATSKIN LEATHER GLOVES



Part #	Description
S: 48-73-0010 M: 48-73-0011 L: 48-73-0012 XL: 48-73-0013 XXL: 48-73-0014	Goatskin Leather Gloves



BOLT™ ACCESSORIES



Part #	Description
48-73-1072	BOLT™ Sun Visor w/ Sunshade
48-73-1100	BOLT™ Eye Visor - Clear Dual Coat Lens
48-73-1410	BOLT™ Clear Visor



SAFETY VESTS



Part #	Description
48-73-5081	High Visibility Yellow Performance Safety Vest - S/M (ANSI/CSA)
48-73-5082	High Visibility Yellow Performance Safety Vest - L/XL (ANSI/CSA)
48-73-5083	High Visibility Yellow Performance Safety Vest - XXL/XXXL (ANSI/CSA)
48-73-5091	High Visibility Orange Performance Safety Vest - S/M (ANSI/CSA)
48-73-5092	High Visibility Orange Performance Safety Vest - L/XL (ANSI/CSA)
48-73-5093	High Visibility Orange Performance Safety Vest - XXL/XXXL (ANSI/CSA)
48-73-5061	High Visibility Yellow Safety Vest - S/M (ANSI/CSA)
48-73-5062	High Visibility Yellow Safety Vest - L/XL (ANSI/CSA)
48-73-5063	High Visibility Yellow Safety Vest - XXL/XXXL (ANSI/CSA)
48-73-5071	High Visibility Orange Safety Vest - S/M (ANSI/CSA)
48-73-5072	High Visibility Orange Safety Vest - L/XL (ANSI/CSA)
48-73-5073	High Visibility Orange Safety Vest - XXL/XXXL (ANSI/CSA)
48-73-5111	Class 2 High Visibility Yellow Mesh Safety Vest
48-73-5112	Class 2 High Visibility Yellow Mesh Safety Vest



SAFETY GLASSES



Part #	Description
48-73-2040A	Clear High Performance Safety Glasses with Gasket
48-73-2040A	Clear High Performance Safety Glasses with Gasket
48-73-2041	Performance Safety Glasses w/ Gasket - Fog-Free Lenses - Clear (Polybag Packing)
48-73-2045A	Polarized High Performance Safety Glasses with Gasket
48-73-2046	Performance Safety Glasses w/ Gasket - Fog-Free Lenses - Polarized (Polybag Packing)
48-73-2020A	Clear High Performance Safety Glasses
48-73-2025A	Tinted High Performance Safety Glasses
48-73-2000A	Clear Safety Glasses
48-73-2000A	Clear Safety Glasses
48-73-2005A	Tinted Safety Glasses
48-73-2005A	Tinted Safety Glasses
48-73-2060	Clear Low Profile Performance Goggles
48-73-2061	Tinted Low Profile Performance Goggles
48-73-2062	Vented Clear High Profile Performance Goggles
48-73-2063	Vented Tinted High Profile Performance Goggles
48-73-2065	Non-Vented Clear High Profile Performance Goggles
48-73-2066	Non-Vented Tinted High Profile Performance Goggles
48-73-2070	Clear Over the Glasses
48-73-2075	Tinted Over the Glasses

LOCKING TOOL LANYARDS



Part #	Description
48-22-8810A	4.5kg 0.9m Locking Tool Lanyard
48-22-8811A	4.5kg 1.4m Extended Reach Locking Tool Lanyard
48-22-8812	4.5kg 1.8m Extended Reach Locking Tool Lanyard
48-22-8815A	6.8kg 0.9m Locking Tool Lanyard
48-22-8816	6.8kg 1.4m Extended Reach Locking Tool Lanyard
48-22-8817	6.8kg 1.8m Extended Reach Locking Tool Lanyard
48-22-8850A	16kg 0.9m Locking Tool Lanyard
48-22-8820	4.5kg 0.9m Quick-Connect Locking Tool Lanyard

POWER TOOL ACCESSORIES



SHOCKWAVE IMPACT DUTY™ LINEMAN'S FIBERGLASS AUGER BITS

Part #	Size	Length	Part #	Size	Length
48-13-7703	9/16"	12"	48-13-7805	11/16"	22"
48-13-7705	11/16"	12"	48-13-7807	13/16"	22"
48-13-7707	13/16"	12"	48-13-7809	15/16"	22"
48-13-7709	15/16"	12"			

SHOCKWAVE IMPACT DUTY™ LINEMAN'S AUGER BITS

Part #	Size	Length	Part #	Size	Length
48-13-6700	3/8"	18"	48-13-6803	9/16"	24"
48-13-6702	1/2"	18"	48-13-6804	5/8"	24"
48-13-6703	9/16"	18"	48-13-6805	11/16"	24"
48-13-6704	5/8"	18"	48-13-6807	13/16"	24"
48-13-6705	11/16"	18"	48-13-6809	15/16"	24"
48-13-6707	13/16"	18"	48-13-6810	1"	24"
48-13-6709	15/16"	18"	48-13-6811	1-1/16"	24"
48-13-6710	1"	18"	48-13-6812	1-1/8"	24"
48-13-6711	1-1/16"	18"	48-13-6813	1-1/4"	24"
48-13-6712	1-1/8"	18"	48-13-6904	5/8"	30"
48-13-6713	1-1/4"	18"	48-13-6905	11/16"	30"
48-13-6800	3/8"	24"	48-13-6907	13/16"	30"
48-13-6802	1/2"	24"	48-13-6909	15/16"	30"

SHOCKWAVE IMPACT DUTY™ LINEMAN'S SOCKET ADAPTERS

Part #	Description
48-66-0061	MILWAUKEE™ 1/2" SQ TO 7/16" ADAPTER - ASIA
48-32-5100	7/16" – 1/2" SHOCKWAVE IMPACT DUTY™ Lineman's Socket Adapter
48-32-5700	7/16" – 1/2" SHOCKWAVE IMPACT DUTY™ Lineman's Socket Adapters (10PK)

SHOCKWAVE IMPACT DUTY™ LINEMAN'S SOCKETS

2IN1 SOCKETS

Part #	Description	Nut Size	Hardware
49-66-5111	9/16" & 3/4" SHOCKWAVE IMPACT DUTY™ Lineman's 2in1 6-Point Socket	9/16" & 3/4"	Hex
49-66-5119	3/8" & 1/2" SHOCKWAVE IMPACT DUTY™ Lineman's 2in1 12-Point Socket	3/8" & 1/2"	Square, Hex
49-66-5120	7/16" & 5/8" SHOCKWAVE IMPACT DUTY™ Lineman's 2in1 12-Point Socket	7/16" & 5/8"	Square, Hex
49-66-5121	9/16" & 3/4" SHOCKWAVE IMPACT DUTY™ Lineman's 2in1 12-Point Socket	9/16" & 3/4"	Square, Hex
49-66-5124	15/16" & 1-1/8" SHOCKWAVE Impact Duty™ Lineman's 2in1 12-Point Socket	15/16" & 1-1/8"	Square, Hex
49-66-5125	10PC SHOCKWAVE IMPACT DUTY™ Lineman's 2in1 12-Point Socket Set	3/8" x 1/2", 7/16" x 5/8", 9/16" x 3/4", 11/16" x 7/8", 13/16" x 1", 15/16" x 1-1/8"	Square, Hex

3IN1 SOCKETS

Part #	Description	Nut Size	Bolt Size
49-66-5101	1/2" SHOCKWAVE IMPACT DUTY™ Lineman's 3in1 Distribution Utility Socket	3/4", 1", 1-1/8"	1/2", 5/8", 3/4"
49-66-5102	7/16" SHOCKWAVE IMPACT DUTY™ Lineman's 3in1 Transmission Utility Socket	1-1/8", 1-5/16", 1-1/2"	3/4", 7/8", 1"

FASTENING & REMOVAL

Part #	Description
49-66-5141	5/16" SHOCKWAVE IMPACT DUTY™ Lineman's 1/2" Drive Hex Bit Socket
49-66-5142	3/8" SHOCKWAVE IMPACT DUTY™ Lineman's 1/2" Drive Hex Bit Socket
49-66-5144	1/2" SHOCKWAVE IMPACT DUTY™ Lineman's 1/2" Drive Hex Bit Socket
49-66-5151	5/16" SHOCKWAVE IMPACT DUTY™ Lineman's 3/8" Drive Hex Bit Socket
49-66-5152	3/8" SHOCKWAVE IMPACT DUTY™ Lineman's 3/8" Drive Hex Bit Socket
49-66-5154	1/2" SHOCKWAVE IMPACT DUTY™ Lineman's 3/8" Drive Hex Bit Socket
49-66-5145	5mm SHOCKWAVE IMPACT DUTY™ Lineman's 1/2" Drive Hex Bit Socket
49-66-5146	6mm SHOCKWAVE IMPACT DUTY™ Lineman's 1/2" Drive Hex Bit Socket
49-66-5155	5mm SHOCKWAVE IMPACT DUTY™ Lineman's 3/8" Drive Hex Bit Socket
49-66-5156	6mm SHOCKWAVE IMPACT DUTY™ Lineman's 3/8" Drive Hex Bit Socket
49-66-5131	5/8" SHOCKWAVE IMPACT DUTY™ Lineman's Pole Step Socket
49-66-5132	SHOCKWAVE IMPACT DUTY™ Lineman's J-Hook Socket
49-66-5133	13/16" SHOCKWAVE IMPACT DUTY™ Lineman's Penta Socket



SHOCKWAVE IMPACT DUTY™ SOCKETS



DEEP WELL SOCKETS

Part #	Description
49-66-6222	1/2" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket
49-66-6223	9/16" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket
49-66-6224	5/8" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket
49-66-6225	11/16" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket
49-66-6226	3/4" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket
49-66-6227	13/16" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket
49-66-6228	7/8" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket
49-66-6229	15/16" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket
49-66-6230	1" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket
49-66-6231	1-1/16" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket
49-66-6232	1-1/8" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket
49-66-6233	1-3/16" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket
49-66-6234	1-1/4" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket
49-66-6235	1-5/16" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket
49-66-6236	1-3/8" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket
49-66-6237	1-7/16" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket
49-66-6238	1-1/2" SHOCKWAVE IMPACT DUTY™ 1/2" Drive 6-Point Deep Socket

ADAPTERS

Part #	Description
48-32-5030	SHOCKWAVE 1/4 X 2IN Socket Adapter
48-32-5031	SHOCKWAVE 3/8 X 2IN Socket Adapter
48-32-5033	MILWAUKEE™ SHOCKWAVE IMPACT HEX Shank Socket Adaptor 3PC SET
48-32-5034	SHOCKWAVE 1/2 X 2IN Socket Adapter

SETS

Part #	Description
49-66-7011	12PC SHOCKWAVE IMPACT DUTY™ 1/2" Drive SAE 6-Point Deep Socket Set
49-66-7012	19PC SHOCKWAVE IMPACT DUTY™ 1/2" Drive SAE 6-Point Deep Socket Set
49-66-7016	29PC SHOCKWAVE IMPACT DUTY™ 1/2" Drive SAE & Metric Deep 6-Point Socket Set
49-66-6802	15PC SHOCKWAVE IMPACT DUTY™ Socket 1/2" Dr SAE PACKOUT Set
49-66-6806	31PC SHOCKWAVE IMPACT DUTY™ Socket 1/2" Dr PACKOUT Set

SHOCKWAVE IMPACT DUTY™ DRILL AND DRIVE SETS



Part #	Description
48-32-4010	MILWAUKEE™ SHOCKWAVE 54PC Driver Bit Set P1M - ASIA
48-32-4094	MILWAUKEE™ SHOCKWAVE 80PC Driver Bit Set P1M - ASIA
49-66-4562	4PC SHOCKWAVE IMPACT DUTY™ 1-7/8" Magnetic Nut Driver Set (1/4", 5/16", 3/8", 7/16")
48-89-4632	29PC SHOCKWAVE IMPACT DUTY™ RED HELIX™ Titanium Drill Bit Set

CIRCULAR SAW BLADES



Part #	Description
48-40-4215	MILWAUKEE™ 5-7/8" 34T Ferrous Metal Circ Saw Blade
48-40-4075	MILWAUKEE™ 5-3/8" 50T Non-Ferrous Metal Circ Saw Blade
48-40-4515	MILWAUKEE™ 8" 42T Ferrous Metal Circ Saw Blade
48-40-4520	MILWAUKEE™ 8" 50T Ferrous Metal Circ Saw Blade
48-40-4345	MILWAUKEE™ 8" 58T Non-Ferrous Metal Circ Saw Blade

GROUND ROD DRIVERS



Part #	Description
48-62-4091	MILWAUKEE™ SDS-MAX 9-3/4" Ground Rod Driver Asia
48-62-4096	1/2" & 5/8" x 10" SDS Max Ground Rod Driver

ANNULAR CUTTERS

HIGH SPEED STEEL

1" Depth of Cut	2" Depth of Cut	Diameter
49-59-0562	49-59-2056	9/16"
49-59-0687	49-59-2069	11/16"
49-59-0812	49-59-2081	13/16"
49-59-0937	49-59-2094	15/16"
49-59-1062	49-59-2106	1-1/16"
49-22-8400	-	6PC Set (9/16", 5/8", 11/16", 13/16", 15/16", 1-1/16")
-	49-22-8410	9PC Set (1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1-1/16")

TUNGSTEN CARBIDE TIPPED

1-3/8" Depth of Cut	2" Depth of Cut	Diameter
49-59-3056	49-59-4056	9/16"
49-59-3069	49-59-4069	11/16"
49-59-3081	49-59-4081	13/16"
49-59-3094	49-59-4094	15/16"
-	49-59-4100	1"
49-59-3106	49-59-4106	1-1/16"
-	49-22-8440	8PC Set (9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1-1/16")

SAWZALL™ BLADE SETS



Part #	Description
49-22-1105	SAWZALL™ Blade Sets - Demolition
49-22-1110	MILWAUKEE™ 10PC General Purpose SAWZALL™ Blade Set
49-22-1129	MILWAUKEE™ 12PC SAWZALL™ Blade Set
49-22-1132	MILWAUKEE™ 32PC Mega SAWZALL™ Blade Set
49-22-5505	5PC SAWZALL™ w/ Carbide Teeth Blade Set
49-22-1216	16PC SAWZALL™ Metal-Cutting Blade Set
49-22-5403	3PC Material Remover Set
49-22-5640	22PC SAWZALL™ Blade PACKOUT™ Kit
49-22-5641	15PC SAWZALL™ Blade PACKOUT™ Kit



THE TORCH™

FOR THE TOUGHEST METALS

THIN METAL

- TORCH™ BI-METAL SAWZALL™ BLADES FOR THIN METAL

MEDIUM METAL

- TORCH™ BI-METAL SAWZALL™ BLADES FOR MEDIUM METAL
- TORCH™ w/ CARBIDE TEETH SAWZALL™ BLADES FOR MEDIUM METAL
- TORCH™ w/ NITRUS CARBIDE™ SAWZALL™ BLADES FOR MEDIUM METAL

THICK METAL

- TORCH™ BI-METAL SAWZALL™ BLADES FOR THICK METAL
- TORCH™ w/ CARBIDE TEETH SAWZALL™ BLADES FOR THICK METAL
- TORCH™ w/ NITRUS CARBIDE™ SAWZALL™ BLADES FOR CAST IRON

THE TORCH™ FOR THICK METALS



THE TORCH™ w/ NITRUS CARBIDE™ SAWZALL™ BLADES FOR CAST IRON						
TPI	Length	Materials	1 Pack	3 Pack	5 Pack	
8	150MM		48-47-5261	48-47-5361	48-47-5561	
8	230MM		48-47-5262	48-47-5362	48-47-5562	
8	300MM		48-47-5263	48-47-5363	48-47-5563	

THE TORCH™ w/ CARBIDE™ TEETH SAWZALL™ BLADES FOR THICK METALS						
TPI	Length	Materials	1 Pack	3 Pack	5 Pack	
8	150MM		48-47-5201	48-47-5301	48-47-5501	
8	230MM		48-47-5202	48-47-5302	48-47-5502	
8	300MM		48-47-5203	48-47-5303	48-47-5503	

THE TORCH™ BI-METAL SAWZALL™ BLADES						
TPI	Length	Materials	5 Pack	25 Pack		
10	150MM		48-47-5712	48-00-8712		
10	230MM		48-47-5713	48-00-8713		
10	300MM		48-47-5714	-		

STANDARD METAL CUTTING SAWZALL™ BLADES						
TPI	Length	Materials	5 Pack			
10	100MM		48-47-5090			
10	150MM		48-47-5092			





**THE TORCH™
FOR MEDIUM & THIN METALS**



THE TORCH™ w/ NITRUS CARBIDE™ SAWZALL™ BLADES FOR MEDIUM METALS

TPI	Length	Materials	1 Pack	3 Pack	5 Pack
10	150MM		48-47-6251	48-47-6351	48-47-6551
10	230MM		48-47-6252	48-47-6352	48-47-6552
10	300MM		48-47-6253	48-47-6353	48-47-6553

THE TORCH™ w/ CARBIDE™ TEETH SAWZALL™ BLADES FOR MEDIUM METALS


TPI	Length	Materials	1 Pack	3 Pack	5 Pack
10	150MM		48-47-5251	48-47-5351	48-47-5551
10	230MM		48-47-5252	48-47-5352	48-47-5552
10	300MM		48-47-5253	48-47-5353	48-47-5553

THE TORCH™ BI-METAL SAWZALL™ BLADES

TPI	Length	Materials	5 Pack	25 Pack
14	150MM		48-47-5782	48-00-8782
14	230MM		48-47-5787	48-00-8787
14	300MM		48-47-5794	-
18	150MM		48-47-5784	48-00-8784
18	230MM		48-47-5788	48-00-8788
18	300MM		48-47-5789	48-00-8789
24	150MM		48-47-5786	-
24	230MM		48-47-5790	-
24	300MM		48-47-5791	-

STANDARD METAL CUTTING SAWZALL™ BLADES

TPI	Length	Materials	5 Pack	25 Pack	50 Pack
14	100MM		48-47-5181	-	-
14	150MM		48-47-5182	48-00-8182	48-01-6182
14	230MM		48-47-5187	-	48-01-6187
18	100MM		48-47-5183	-	-
18	150MM		48-47-5184	48-00-8184	48-01-6184
18	230MM		48-47-5188	-	48-01-6188
18	300MM		48-47-5189	-	48-01-6189
24	100MM		48-47-5185	-	-
24	150MM		48-47-5186	48-00-8186	48-01-6186





THE AX™ BEST IN CLASS WOOD CUTTING



THE AX™ w/ CARBIDE™ TEETH SAWZALL™ BLADES FOR PRUNING				
TPI	Length	Materials	1 Pack	3 Pack
3	150MM		48-47-5231	48-47-5331
3	230MM		48-47-5232	48-47-5332
3	300MM		48-47-5233	48-47-5333

THE AX™ w/ CARBIDE™ TEETH SAWZALL™ BLADES FOR NAIL EMBEDDED WOOD					
TPI	Length	Materials	1 Pack	3 Pack	5 Pack
5	150MM		48-47-5221	48-47-5321	48-47-5521
5	230MM		48-47-5226	48-47-5326	48-47-5526
5	300MM		48-47-5227	48-47-5327	48-47-5527

STANDARD PRUNING SAWZALL™ BLADES				
TPI	Length	Materials	1 Pack	5 Pack
5	230MM		48-47-1304	48-47-1301
5	300MM		48-47-1305	48-47-1303

THE AX™ BI-METAL SAWZALL™ BLADES				
TPI	Length	Materials	5 Pack	25 Pack
5	150MM		48-47-5021	48-00-8021
5	230MM		48-47-5026	48-00-8026
5	300MM		48-47-5027	48-00-8027



STANDARD WOOD CUTTING SAWZALL™ BLADES					
TPI	Length	Materials	5 Pack	25 Pack	50 Pack
5	150MM		48-47-5035	-	48-01-6035
5	230MM		48-47-5036	48-00-8036	48-01-6036
5	300MM		48-47-5037	-	48-01-6037

THE WRECKER™ TACKLE ANYTHING



THE WRECKER™ w/ NITRUS CARBIDE™ SAWZALL™ BLADES				
TPI	Length	Materials	1 Pack	5 Pack
6	150MM		48-47-5271	48-47-5571
6	230MM		48-47-5272	48-47-5572
6	300MM		48-47-5273	48-47-5573

THE WRECKER™ w/ CARBIDE™ TEETH SAWZALL™ BLADES					
TPI	Length	Materials	1 Pack	3 Pack	5 Pack
6	150MM		48-47-5241	48-47-5341	48-47-5541
6	230MM		48-47-5242	48-47-5342	48-47-5542
6	300MM		48-47-5243	48-47-5343	48-47-5543

THE WRECKER™ BI-METAL SAWZALL™ BLADES				
TPI	Length	Materials	5 Pack	25 Pack
7/11	150MM		48-47-5701	48-00-8701
7/11	230MM		48-47-5706	48-00-8706
7/11	300MM		48-47-5711	48-00-8711

STANDARD MULTI-MATERIAL SAWZALL™ BLADES					
TPI	Length	Materials	5 Pack	25 Pack	50 Pack
8/12	150MM		48-47-5091	-	48-01-6091
8/12	230MM		48-47-5093	48-00-8093	48-01-6093
8/12	300MM		48-47-5094	-	48-01-6094
10/14	230MM		48-47-5193	-	-
10/14	300MM		48-47-5194	-	-



SAWZALL™ BLADE SELECTION GUIDE

- 1 Identify the material to be cut in the columns below
 - 2 Follow the column down to find **BEST PERFORMANCE** or **ACCEPTABLE PERFORMANCE**
 - 3 Follow the row to the left to identify the appropriate teeth per inch (TPI) or specialty blade
- Note: Fewer TPI cut faster but rougher, while more TPI cut smoother but slower

		BRANCHES & ROOTS	WOOD	WOOD WITH NAILS	WOOD WITH SCREWS	METAL (9/16" - 1/4")	ANGLE IRON (9/16" - 1/4")	SCHEDULE 80 PIPE (9/16" - 1/4")	SCHEDULE 40 PIPE (7/16" - 3/16")	RIGID CONDUIT (7/16" - 3/16")	STRUT (7/16" - 3/16")
PRUNING	3 TPI CARBIDE TEETH										
	5 TPI PRUNING										
WOOD	6 TPI CLEAN WOOD										
	5 TPI CARBIDE TEETH										
	5 TPI AX™										
	5 TPI										
MULT-MATERIAL	6 TPI NITRUS CARBIDE™										
	6 TPI CARBIDE TEETH										
	7/11 TPI WRECKER™										
	8/12 TPI										
	10/14 TPI										
MEDIUM & THIN METAL	10 TPI NITRUS CARBIDE™										
	10 TPI CARBIDE TEETH										
	14 TPI TORCH™										
	14 TPI										
	18 TPI TORCH™										
	18 TPI										
	24 TPI TORCH™										
24 TPI											
THICK METAL	8 TPI NITRUS CARBIDE™										
	8 TPI CARBIDE TEETH										
	10 TPI TORCH™										
	10 TPI										
SPECIALTY	CARBIDE GRIT										
	DIAMOND GRIT										
	FLUSH CUT										
	ROUGH-IN										
	DUCTWORK										
	PLASTER										



PRODUCT INFORMATION

PRODUCT INFORMATION											
Product	CUTTING					CRIMPING					PUMP
											
Model Name	M18 ONEHUCT	M18 HCC	M18 HCC45	M18 HCC75R	M18 HCC125R	M18 ONEHCCCT60	M18 HCCT 109/42L	M18 HCCT 109/42	M18 HCCT120	M18 HCCT15	M18 HUP700R
Description	M18 6T Linear Utility Crimper	M18 6T Hydraulic Cable Cutter	M18 45mm Overhead ACSR Cable Cutter	M18 Underground Cable Cutter w/Wireless Remote	M18 125mm Underground Cable Cutter w/ Wireless Remote	M18 60kN Guillotine Crimper	M18 12T Latched Linear Crimper	M18 12 Ton Utility Crimper	M18 120kN Utility Crimper	M18 15T Crimper	M18 Hydraulic Pump with Wireless Remote
Force Output	53 kN	53 kN	77.8 kN	77.8 kN	120kN	60kN	109 kN	109 kN	120kN	133kN	700 Bar
Auto-Retraction	✓	✓	--	--	✓	✓	✓	--	✓	✓	--
Pressure Monitoring System (PFM)	--	--	--	--	--	✓	✓	✓	✓	✓	✓
Head Rotation	340°	350°	340°	340°	180°	340°	340°	350°	340°	350°	--
Weight w/ Battery	3.3kg	3.7 kg	6.0 kg	7.9kg	17.5kg	3.8 kg	6.7 kg	5.6 kg	7.6kg	7.9kg	6.5 kg
Cut / Crimp / Speed	3 sec	3 sec	7.7 sec	9.5 sec	38 sec	5 sec	7 sec	7 sec	5 sec	10 sec	24 Sec
Wireless Remote Option	--	--	--	Yes, can cut 25 meters away from tool	--	--	--	--	--	--	Corded Remote Controller with 1.8M Controller Extension Cord

COMPATIBLE ACCESSORIES

Cutting Jaw	49-16-2772 49-16-2773 49-16-2777 49-16-2778		--	--	--	--	--	--	--	--	Single-Acting 700Bar rated hoses and Cutting Head
Crimping Jaw	49-16-BGD3 49-16-10D3 49-16-11D3	--	--	--	--	--	--	--	--	--	--
Blade	48-44-0411 48-44-0412 48-44-2777 48-44-2778		49-16-2775	49-16-2774	4932492423 4932492424	--	--	--	--	--	--
Draw Stud	--	--	--	--	--	--	--	--	--	--	--



SOLUTIONS GUIDE

PURPOSE	MATERIAL		MAXIMUM CAPACITY		SOLUTION	
			METRIC	IMPERIAL	PRODUCT	MODEL NAME
CUTTING	Copper Wire		35mm	1-3/8"		M18 HCC with CU/ AL Jaw
			Single Conductor: 750 mm ² , 15KV	Single Conductor: 1500 MCM, 15KV		M18 HCC75R
			3 x Single Conductor: 175 mm ² , 15KV	3 x Single Conductor: 350 MCM, 15KV		
			3 Conductors: 3 x 250 mm ²	3 Conductors: 3 x 500 MCM		
			3 x 500mm ² 15kV LLDPE 125mm	3x 1000 MCM 15kv LLDPE 5'		M18 HCC125R
	Aluminum Wire		35mm	1-3/8"		M18 HCC with CU/ AL Jaw
			Single Conductor: 750 mm ² , 46KV	Single Conductor: 1500 MCM, 46KV		M18 HCC75R
			3 Conductors: 3 x 400 mm ²	3 Conductors: 3 x 750 MCM		
			3 x 500mm ² 125mm	3x 1000 MCM 5'		M18 HCC125R
	ACSR Wire		30 Al / 7 Stl 297 mm ²	477 Hen		M18 HCC with ACSR Jaw
			54 Al / 19 Stl 908 mm ²	1590 Falcon		M18 HCC45
			22.5mm	7/8"		M18 ONEHUCT
	Guy Wire (Non-EHS)		9.5mm	3/8"		M18 HCC with ACSR Jaw
	Guy Wire (EHS)		12mm	1/2"		M18 HCC45
15mm	5/8"			M18 ONEHUCT		
Ground Rod		9.5mm	3/8"		M18 HCC with ACSR Jaw	
		15mm	5/8"		M18 HCC45	
Bolts		15mm	5/8"		M18 HCC45	
CRIMPING	Copper Wire		400mm ²	750 MCM		M18 HCCT120
			800mm ²	1500MCM		M18 HCCT15
			400mm ²	750MCM		M18 HCCT109/42L
			300mm ²	600MCM		M18 ONEHUCT
			300mm ²	600 MCM		M18 ONEHCCT60
	Aluminum Wire	300mm ²	600 MCM			M18 HCCT15
	Aluminum Wire		625mm ²	1250MCM		M18 HCCT15
			400mm ²	750MCM		M18 HCCT109/42L
150mm ²			300MCM		M18 ONEHUCT	



WE ARE TRADE FOCUSED



MILWAUKEE TOOL

Milwaukee Asia Office
29/F, Tower 2, Kowloon Commerce Centre,
51 Kwai Cheong Road, Kwai Chung, Hong Kong Tel: +852-2492-2181 • Fax: +852-2490-4778

Distributed by:

15/04/2025

All data incl. service and warranty conditions as well as product range are subject to change without notice.
Pictures not binding. No liability for printing errors or mistakes. © 2020 Milwaukee Electric Tool Corporation.
All trademarks are owned by Techtronic Cordless GP unless otherwise stated.

www.milwaukeetool.asia